



US006191889B1

(12) **United States Patent**
Maruyama

(10) Patent No.: **US 6,191,889 B1**

(45) Date of Patent: **Feb. 20, 2001**

(54) **OBJECTIVE LENS FOR OPTICAL PICK-UP**

(75) Inventor: **Koichi Maruyama, Saitama-ken (JP)**

(73) Assignee: **Asahi Kogaku Kogyo Kabushiki Kaisha, Tokyo (JP)**

(*) Notice: Under 35 U.S.C. 154(b), the term of this patent shall be extended for 0 days.

(21) Appl. No.: **09/321,544**

(22) Filed: **May 28, 1999**

(30) **Foreign Application Priority Data**

May 29, 1998 (JP) 10-150361

(51) Int. Cl.⁷ **G02B 05/18; G02B 27/44; G02B 03/02**

(52) U.S. Cl. **359/566; 359/565; 359/718; 359/719**

(58) Field of Search **359/565, 743, 359/566, 569, 708, 718, 719, 742**

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,815,059	3/1989	Nakayama et al.	369/45
5,629,799	5/1997	Maruyama et al.	359/565
5,633,852	5/1997	Maruyama et al.	369/112
5,796,520 *	8/1998	Maruyama	359/565

5,838,496 11/1998 Maruyama et al. 359/565

5,883,744 3/1999 Maruyama 359/565

5,914,822 * 6/1999 Maruyama 359/743

FOREIGN PATENT DOCUMENTS

0840144 5/1998 (EP) .

11-337818 * 10/1999 (JP) .

* cited by examiner


Primary Examiner—Ricky Mack

(74) *Attorney, Agent, or Firm*—Greenblum & Bernstein, P.L.C.

(57) **ABSTRACT**

An objective lens includes a refractive lens having a positive refractive power, and a diffractive grating having a plurality of concentric ring-shaped steps that are formed on at least one lens surface of the refractive lens. The objective lens is a biconvex plastic lens of which first and second surfaces are aspherical. A diffractive grating is formed on the first surface of the objective lens. The diffractive grating is similar to a Fresnel lens, it is formed as many concentric rings each of which has a wedge sectional shape. The boundary between the adjacent rings is a step to give a predetermined optical path difference. The diffractive grating has wavelength dependence such that spherical aberration varies in the undercorrected direction as wavelength of incident light increases.

7 Claims, 15 Drawing Sheets





US006049519A

United States Patent [19]

Arai et al.

[11] **Patent Number:** 6,049,519[45] **Date of Patent:** Apr. 11, 2000[54] **OPTICAL SYSTEM FOR RECORDING AND REPRODUCING FOR USE IN OPTICAL INFORMATION RECORDING MEDIUM**

[75] Inventors: Norikazu Arai; Masaya Kobayashi; Hiroyuki Yamazaki, all of Hachioji; Hiroshi Kibayashi, Hino, all of Japan

[73] Assignee: Konica Corporation, Tokyo, Japan

[21] Appl. No.: 09/333,888

[22] Filed: Jun. 15, 1999

Related U.S. Application Data

[62] Division of application No. 08/734,502, Oct. 21, 1996, Pat. No. 5,966,362.

[30] **Foreign Application Priority Data**

Nov. 2, 1995	[JP]	Japan	7-308565
Nov. 28, 1995	[JP]	Japan	7-309189
Dec. 28, 1995	[JP]	Japan	7-352208

[51] Int. Cl.⁷ G11B 7/00

[52] U.S. Cl. 369/112

[58] Field of Search 369/112, 44.23, 369/44.24, 120

[56] **References Cited****U.S. PATENT DOCUMENTS**

Re. 34,455	11/1993	Arai et al.	359/719
4,577,941	3/1986	Kubota	369/112
4,765,723	8/1988	Takamura	350/432
4,789,978	12/1988	Shikama et al.	369/112
5,311,494	5/1994	Sugita et al.	369/44.23
5,467,335	11/1995	Braat	369/100
5,475,537	12/1995	Kobayashi et al.	359/794
5,602,383	2/1997	Takekoshi et al.	369/44.12
5,608,715	3/1997	Yokogawa et al.	369/275.1
5,612,942	3/1997	Takahashi	369/112
5,621,714	4/1997	Kobayashi et al.	369/44.23

5,657,171	8/1997	Maruyama et al.	369/112
5,691,971	11/1997	Kim	369/112
5,699,341	12/1997	Sugi et al.	369/117
5,703,862	12/1997	Lee et al.	369/44.23
5,724,335	3/1998	Kobayashi	369/112
5,726,436	3/1998	Oka et al.	369/44.23
5,754,504	5/1998	Yamazaki et al.	369/112
5,920,532	7/1999	Katsuya et al.	369/112

FOREIGN PATENT DOCUMENTS

0 146 178	6/1985	European Pat. Off.
0 610 055	8/1994	European Pat. Off.
57-76512	5/1982	Japan
61-56314	3/1986	Japan
6-258573	9/1994	Japan
8-203094	8/1996	Japan


OTHER PUBLICATIONS

Patent Abstracts of Japan, Kokai No. 63-234418, vol. 13, No. 037, Jan. 27, 1989.

Patent Abstracts of Japan, Kokai No. 62-59804, vol. 18, No. 665, Dec. 15, 1994.

Primary Examiner—Nabil Hindi*Attorney, Agent, or Firm*—Finnegan, Henderson, Farabow, Garrett & Dunner, L.L.P.[57] **ABSTRACT**

An optical system for recording or reproducing of information to or from an optical information recording medium, includes a light source, a coupling lens for converting a diverging light emergent from the light source to a converging light, and an objective lens for further converging the converted converging light and for focusing on an information recording surface of the optical information recording medium. A lateral magnification M_c of the coupling lens on an image side for a light source side and a numerical aperture NA_c on the light source side of the coupling lens satisfy the following expressions respectively, $-7.0 \leq M_c \leq -0.5$ and $0.06 \leq NA_c \leq 0.21$.

13 Claims, 64 Drawing Sheets



US006317276B1

(12) **United States Patent**
Braat

(10) Patent No.: **US 6,317,276 B1**

(45) Date of Patent: **Nov. 13, 2001**

(54) **OPTICAL LENS SYSTEM AND SCANNING
DEVICE PROVIDED WITH SUCH A SYSTEM**

(75) Inventor: **Josephus J. M. Braat, Eindhoven (NL)**

(73) Assignee: **U.S. Philips Corporation, New York,
NY (US)**

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **09/622,601**

(22) PCT Filed: **Dec. 20, 1999**

(86) PCT No.: **PCT/EP99/10204**

§ 371 Date: **Aug. 18, 2000**

§ 102(e) Date: **Aug. 18, 2000**

(87) PCT Pub. No.: **WO00/37982**

PCT Pub. Date: **Jun. 29, 2000**

(30) **Foreign Application Priority Data**

Dec. 22, 1998 (EP) 98204384

(51) Int. Cl.⁷ **G02B 9/14; G02B 27/30**

(52) U.S. Cl. **359/785; 359/641**

(58) Field of Search **359/641, 795-796,
359/785, 708, 716-717**

(56) **References Cited**

U.S. PATENT DOCUMENTS

Re. 32,988	*	7/1989	Smid	359/641
5,475,537		12/1995	Kobayashi et al.	359/794
5,818,809	*	10/1998	Arai et al.	369/118
5,936,782	*	8/1999	Nomura et al.	359/719

FOREIGN PATENT DOCUMENTS

0727777A1 8/1996 (EP) G11B/7/12

* cited by examiner

Primary Examiner—Jordan M. Schwartz

(74) *Attorney, Agent, or Firm*—Michael E. Belk

(57) **ABSTRACT**

In a lens system for focusing a divergent beam in a small spot and comprising a collimator lens and an objective lens, the collimator lens is composed of a positive plastics lens element and a negative glass lens element. This collimator corrects the temperature-dependent spherical aberration of the objective lens. This lens system is very suitable for a scanning device and an apparatus for reading/writing high-density optical discs.

8 Claims, 7 Drawing Sheets

